	Application No.	Applicant(s)
Notice of Allowability	10/620,880	SENDA ET AL.
	Examiner	Art Unit
	Katherine W. Mitchell	3677
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>1/16/2006</u> .		
2. X The allowed claim(s) is/are 2-9 and 21.		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) □ Some* c) □ None of the: 1. Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. □ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	IENT of this application.	
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat	e nent/Comment ent of Reasons for Allowance

Application/Control Number: 10/620,880

Art Unit: 3677

REASONS FOR ALLOWANCE

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with M Gzybowsky on 1/24/2006.

The application has been amended as follows:

IN THE CLAIMS:

Claim 21, line 11, a colon --:-- has been inserted immediately after "component comprising".

The following is an examiner's statement of reasons for allowance:

Applicant's certified translation clarifies that the priority document, JP 119409/1999 teaches using Shin-Etsu X-34-1277 A/B, which is the exact product taught in the applied reference (Nagai). Obviously, if Shin-Etsu X-34-1277 A/B in Nagai fully anticipates applicant's step c, then Shin-Etsu X-34-1277 A/B in applicant's priority document, JP 119409/1999 must necessarily provide the teaching also. Therefore, Nagai is no longer able to be applied as a reference.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/620,880

Art Unit: 3677

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The sole Figure should not be labeled "Figure 1" Examiner has deleted "Figure 1" from the drawing. No action or fee is required by applicant for this change.

Examiner notes that normally the evidence and argument would be considered to require further consideration after final and the amendment would not be entered.

However, applicant's extraordinary diligence, professionalism, and clear efforts to move the case to allowance were considered and thus the amendment is entered and considered after final.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Katherine W. Mitchell whose telephone number is 571-272-7069. The examiner can normally be reached on Mon - Thurs 10 AM - 8 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on 571-272-7075. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Application/Control Number: 10/620,880

Art Unit: 3677

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Katherine W Mitchell Primary Examiner Art Unit 3677

Kwm 1/24/2006 Oktoente : Replacement Sheet KWM 1/24/06



. .